

GENERAL DEMOLITION NOTES:

1. SITE VERIFY ALL EXISTING CONDITIONS.
2. ALL ITEMS SHOWN DASHED ARE TO BE REMOVED IN THEIR ENTIRETY INCLUDING FASTENERS AND MEANS OF ATTACHMENT.
3. WHERE EXISTING CONSTRUCTION IS INDICATED TO BE REPLACED, IT IS THE INTENT TO REMOVE THE EXISTING CONSTRUCTION IN ITS ENTIRETY AND REPLACE IT WITH NEW CONSTRUCTION AS INDICATED ON THE DRAWINGS.
4. WHERE EXISTING CONSTRUCTION IS NOTED TO BE PATCHED, IT IS THE INTENT TO PROVIDE A UNIFORM SUBSTRATE THAT MATCHES ADJACENT CONSTRUCTION AND TO MATCH EXISTING ADJACENT FINISHES.
5. REMOVE EXISTING CEILINGS IN AREAS SCHEDULED TO RECEIVE NEW CEILINGS. REMOVE ALL COMPONENTS INCLUDING FINISHED CEILING AND SUSPENSION SYSTEM UNLESS INDICATED OTHERWISE.
6. REMOVE EXISTING FLOORING IN AREAS SCHEDULED TO RECEIVE NEW FLOORING. REMOVE ALL COMPONENTS INCLUDING FINISHED FLOORING, ADHESIVE, AND TRANSITION MEMBERS UNLESS INDICATED OTHERWISE.
7. SEE PLUMBING, MECHANICAL, AND ELECTRICAL DRAWINGS FOR REMOVAL OF PLUMBING, MECHANICAL, AND ELECTRICAL WORK.
8. OWNER IS RESPONSIBLE FOR REMOVING MEDICAL EQUIPMENT UNLESS INDICATED OTHERWISE. COORDINATE SCHEDULE OF REMOVAL WITH OWNER.
9. REMOVE AND TURN OVER THE FOLLOWING ITEMS FOR LATER REUSE BY THE OWNER:
 - A. (CHECK TO SEE IF OWNER WANTS DOORS, DOOR HARDWARE, LIGHT FIXTURES, WALL PROTECTION, ETC)
 - B. _____
 - C. _____
 - D. _____
10. PROTECT EXISTING FIREPROOFING ON EXISTING STEEL STRUCTURE TO REMAIN. REPLACE ANY FIREPROOFING DAMAGED DURING THE PERIOD OF CONSTRUCTION TO MATCH ORIGINAL CONSTRUCTION.
11. REMOVE EXISTING PRECAST AS REQUIRED FOR INSTALLATION OF NEW STRUCTURE. RE-INSTALL WHERE PRECAST CONCRETE IS INDICATED TO REMAIN.

KEYED NOTES FOR REMOVAL:

- 1 PROVIDE OPENING FOR NEW DOOR AND FRAME. COORDINATE OPENING SIZE WITH FLOOR PLANS AND DOOR SCHEDULE.
- 2 REMOVE EXISTING DOOR AND FRAMES IN THEIR ENTIRETY. PATCH AND MATCH WALLS AND FLOOR AS REQUIRED FOR NEW WORK.
- 3 REMOVE EXISTING CASEWORK, COUNTERTOPS AND CABINETS IN THEIR ENTIRETY. PATCH FLOORS, BASE, WALLS AND CEILING TO MATCH EXISTING ADJACENT SURFACES IF SCHEDULED TO REMAIN, OR PREPARE TO RECEIVE NEW FINISHES AS SCHEDULED. REFER TO FINISH SCHEDULE.
- 4 REMOVE EXISTING PRECAST CONCRETE IN ITS ENTIRETY, INCLUDING ANCHORS AND ATTACHMENTS.
- 5 REMOVE EXISTING PLANTERS AND TURN OVER FOR LATER REUSE BY THE GOVERNMENT.
- 6 REMOVE CURTAINWALL IN ITS ENTIRETY. PATCH AND MATCH ADJACENT SURFACES INCLUDING WALLS AND FLOOR AS REQUIRED FOR NEW WORK.
- 7 REMOVE AND RESERVE WOOD HANDRAIL, INCLUDING ALL HARDWARE AND ATTACHMENTS. HANDRAIL TO BE RE-INSTALLED ON NEW PARTITIONS. SEE FLOOR PLAN.
- 8 REMOVE CURTAINWALL DOOR SHIELD IN ITS ENTIRETY, INCLUDING ALL FASTENERS AND SEALANT. PATCH EXISTING PRECAST CONCRETE WHERE CURTAINWALL IS REMOVED.

1F SECOND FLOOR DEMOLITION PLAN
SCALE: 1/8" = 1'-0"

CONSULTANTS:

ARCHITECT/ENGINEERS:

brg3sarchitects

11 W. Huling Avenue
Memphis, Tennessee 38103
t 901.260.9600
f 901.531.8042
w brg3s.com

DRAWING TITLE:

SECOND FLOOR DEMOLITION PLAN

SCALE: As indicated

APPROVED PROJECT DIRECTOR:

PROJECT TITLE:

VA BUILDING 1A
ENTRANCE EXPANSION

LOCATION:

VAMC, Memphis, Tennessee

DATE:

January 27, 2014

CHECKED:

DRAWN:

PROJECT NUMBER:

614-318


BUILDING NUMBER:

1A

DRAWING NUMBER:


AD102

DWG. OF



N

KEY PLAN




GENERAL DEMOLITION NOTES:

1. SITE VERIFY ALL EXISTING CONDITIONS.
2. ALL ITEMS SHOWN DASHED ARE TO BE REMOVED IN THEIR ENTIRETY INCLUDING FASTENERS AND MEANS OF ATTACHMENT.
3. WHERE EXISTING CONSTRUCTION IS INDICATED TO BE REPLACED, IT IS THE INTENT TO REMOVE THE EXISTING CONSTRUCTION IN ITS ENTIRETY AND REPLACE IT WITH NEW CONSTRUCTION AS INDICATED ON THE DRAWINGS.
4. WHERE EXISTING CONSTRUCTION IS NOTED TO BE PATCHED, IT IS THE INTENT TO PROVIDE A UNIFORM SUBSTRATE THAT MATCHES ADJACENT CONSTRUCTION AND TO MATCH EXISTING ADJACENT FINISHES.
5. REMOVE EXISTING CEILINGS IN AREAS SCHEDULED TO RECEIVE NEW CEILINGS. REMOVE ALL COMPONENTS INCLUDING FINISHED CEILING AND SUSPENSION SYSTEM UNLESS INDICATED OTHERWISE.
6. REMOVE EXISTING FLOORING IN AREAS SCHEDULED TO RECEIVE NEW FLOORING. REMOVE ALL COMPONENTS INCLUDING FINISHED FLOORING, ADHESIVE, AND TRANSITION MEMBERS UNLESS INDICATED OTHERWISE.
7. SEE PLUMBING, MECHANICAL, AND ELECTRICAL DRAWINGS FOR REMOVAL OF PLUMBING, MECHANICAL, AND ELECTRICAL WORK.
8. OWNER IS RESPONSIBLE FOR REMOVING MEDICAL EQUIPMENT UNLESS INDICATED OTHERWISE. COORDINATE SCHEDULE OF REMOVAL WITH OWNER.
9. REMOVE AND TURN OVER THE FOLLOWING ITEMS FOR LATER REUSE BY THE OWNER:
 - A. (CHECK TO SEE IF OWNER WANTS DOORS, DOOR HARDWARE, LIGHT FIXTURES, WALL PROTECTION, ETC.)
 - B. _____
 - C. _____
 - D. _____
10. PROTECT EXISTING FIREPROOFING ON EXISTING STEEL STRUCTURE TO REMAIN. REPLACE ANY FIREPROOFING DAMAGED DURING THE PERIOD OF CONSTRUCTION TO MATCH ORIGINAL CONSTRUCTION.
11. REMOVE EXISTING PRECAST AS REQUIRED FOR INSTALLATION OF NEW STRUCTURE. RE-INSTALL WHERE PRECAST CONCRETE IS INDICATED TO REMAIN.

KEYED NOTES FOR REMOVAL:

1. PROVIDE OPENING FOR NEW DOOR AND FRAME. COORDINATE OPENING SIZE WITH FLOOR PLANS AND DOOR SCHEDULE.
2. REMOVE EXISTING DOOR AND FRAMES IN THEIR ENTIRETY. PATCH AND MATCH WALLS AND FLOOR AS REQUIRED FOR NEW WORK.
3. REMOVE EXISTING CASEWORK, COUNTERTOPS AND CABINETS IN THEIR ENTIRETY. PATCH FLOORS, BASE, WALLS AND CEILING TO MATCH EXISTING ADJACENT SURFACES IF SCHEDULED TO REMAIN, OR PREPARE TO RECEIVE NEW FINISHES AS SCHEDULED. REFER TO FINISH SCHEDULE.
4. REMOVE EXISTING PRECAST CONCRETE IN ITS ENTIRETY, INCLUDING ANCHORS AND ATTACHMENTS.
5. REMOVE EXISTING PLANTERS AND TURN OVER FOR LATER REUSE BY THE GOVERNMENT.
6. REMOVE CURTAINWALL IN ITS ENTIRETY. PATCH AND MATCH ADJACENT SURFACES INCLUDING WALLS AND FLOOR AS REQUIRED FOR NEW WORK.
7. REMOVE AND RESERVE WOOD HANDRAIL, INCLUDING ALL HARDWARE AND ATTACHMENTS. HANDRAIL TO BE RE-INSTALLED ON NEW PARTITIONS. SEE FLOOR PLAN.
8. REMOVE CURTAINWALL DOOR SHIELD IN ITS ENTIRETY, INCLUDING ALL FASTENERS AND SEALANT. PATCH EXISTING PRECAST CONCRETE WHERE CURTAINWALL IS REMOVED.

FULLY SPRINKLERED



CONSULTANTS:

ARCHITECT/ENGINEERS:

brg3sarchitects

11 W. Huling Avenue
Memphis, Tennessee 38103
t 901.260.9600
f 901.531.8042
w brg3s.com

DRAWING TITLE:
FIRST FLOOR REFLECTED CEILING
DEMOLITION PLAN

SCALE: As Indicated

APPROVED PROJECT DIRECTOR:

PROJECT TITLE:
VA BUILDING 1A
ENTRANCE EXPANSION

LOCATION:
VAMC, Memphis, Tennessee

DATE:
January 27, 2014

CHECKED:

DRAWN:


PROJECT NUMBER:
614-318

BUILDING NUMBER:
1A

DRAWING NUMBER:
AD201

DWG. OF

KEY PLAN






GENERAL NOTES:
1. REFER TO SHEET A-501 FOR DOOR INFORMATION AND DETAILS.

1F GROUND FLOOR DOOR AND WINDOW KEY PLAN
SCALE: 1/8" = 1'-0"

FULLY SPRINKLERED

CONSULTANTS:		ARCHITECT/ENGINEERS:		DRAWING TITLE:		PROJECT TITLE:		PROJECT NUMBER:	
		bgr3s architects		GROUND FLOOR DOOR AND WINDOW KEY PLAN		VA BUILDING 1A ENTRANCE EXPANSION		614-318	
		11 W. Huling Avenue Memphis, Tennessee 38103 t 901.260.9600 f 901.531.8042 w bgr3s.com		SCALE: As indicated		LOCATION: VAMC, Memphis, Tennessee		BUILDING NUMBER: 1A	
Revisions:				APPROVED PROJECT DIRECTOR:		DATE: January 27, 2014		DRAWING NUMBER: A-200.1	
Date:						CHECKED:		DWG. OF	





GENERAL NOTES:

- PARTITION TYPES ARE TYPE A, FULL HEIGHT PARTITIONS (FHP) UNLESS NOTED OTHERWISE. SEE 1A500 FOR PARTITION TYPES.
- REFERENCE SYMBOLS LEGEND:
 - CG RECESSED VINYL CORNER GUARD - SEE DETAIL 1B AND 1D/A-502
 - VCR VINYL CHAIR RAIL - SEE DETAIL 5DA502
 - PWC PLASTIC WALLCOVERING, SEE INTERIORS
 - CR CARD RELEASE
 - BR 8" BUMPER RAIL
 - PP PUSH PLATE
 - (SEE G001 - INDEX SHEET FOR ADDITIONAL REFERENCE SYMBOLS)
- RATED PARTITIONS LEGEND:
 - 2 HR FIRE RATED SMOKE BARRIER
 - 2 HR FIRE RATED PARTITION
 - 1 HR FIRE RATED SMOKE BARRIER
 - 1 HR FIRE RATED PARTITION
- ROOM NAME LEGEND:
 - ROOM NAME 1
 - ROOM NAME 2
 - FLOOR
 - PROGRAM AREA
 - ROOM NUMBER
 - ACTUAL AREA
- SLOPE ALL SHOWER FLOORS 1/4" PER FOOT TO DRAIN, MINIMUM.
- SEE 1F-3/A501 FOR TYPICAL DOOR DETAILS. SEE 7F/A501 FOR DOOR ELEVATIONS AND RATINGS.
- REFER TO ST. FLT. 1B104B FOR ACCESSORIES AND FIXTURES TYPICAL AT TOILET ROOMS.

1F GROUND FLOOR DIMENSION PLAN
SCALE: 1/8" = 1'-0"

CONSULTANTS:

ARCHITECT/ENGINEERS:

brg3sarchitects

11 W. Huling Avenue
Memphis, Tennessee 38103
t 901.260.9600
f 901.531.8042
w brg3s.com

DRAWING TITLE:
GROUND FLOOR DIMENSION PLAN

SCALE: As indicated

APPROVED PROJECT DIRECTOR:

PROJECT TITLE:
VA BUILDING 1A
ENTRANCE EXPANSION

LOCATION:
VAMC, Memphis, Tennessee

DATE:
January 27, 2014

CHECKED:


DRAWN:

PROJECT NUMBER:
614-318


BUILDING NUMBER:
1A

DRAWING NUMBER:
A-200D

DWG. OF



FULLY SPRINKLERED



GENERAL NOTES:

- PARTITION TYPES ARE TYPE A, FULL HEIGHT PARTITIONS (FHP) UNLESS NOTED OTHERWISE. SEE 1A-500 FOR PARTITION TYPES.
- REFERENCE SYMBOLS LEGEND:
 - CG RECESSED VINYL CORNER GUARD - SEE DETAIL 1B AND 1D / A-502
 - VCR VINYL CHAIR RAIL - SEE DETAIL 50A-502
 - PWC PLASTIC WALLCOVERING, SEE INTERIORS
 - CR CARD RELEASE
 - BR 8" BUMPER RAIL
 - PP PUSH PLATE
 - (SEE G001 - INDEX SHEET FOR ADDITIONAL REFERENCE SYMBOLS)
- RATED PARTITIONS LEGEND:
 - 2 HR FIRE RATED SMOKE BARRIER
 - 2 HR FIRE RATED PARTITION
 - 1 HR FIRE RATED SMOKE BARRIER
 - 1 HR FIRE RATED PARTITION
- ROOM NAME LEGEND:
 - ROOM NAME 1
 - ROOM NAME 2
 - FLOOR
 - PROGRAM AREA
 - ROOM NUMBER
 - ACTUAL AREA
- SLOPE ALL SHOWER FLOORS 1/4" PER FOOT TO DRAIN, MINIMUM.
- SEE 1F-3F/A501 FOR TYPICAL DOOR DETAILS. SEE 7F/A501 FOR DOOR ELEVATIONS AND RATINGS.
- REFER TO ST. TLT. F81104B FOR ACCESSORIES AND FIXTURES TYPICAL AT TOILET ROOMS.

1 FIRST FLOOR PLAN
SCALE: 1/8" = 1'-0"

CONSULTANTS:

ARCHITECT/ENGINEERS:

brg3sarchitects

11 W. Huling Avenue
Memphis, Tennessee 38103
t 901.260.9600
f 901.531.8042
w brg3s.com

DRAWING TITLE:
FIRST FLOOR PLAN

SCALE: As indicated

APPROVED PROJECT DIRECTOR:

PROJECT TITLE:
VA BUILDING 1A
ENTRANCE EXPANSION

LOCATION:
VAMC, Memphis, Tennessee

DATE:
January 27, 2014

CHECKED:


DRAWN:

PROJECT NUMBER:
614-318

BUILDING NUMBER:
1A

DRAWING NUMBER:
A-201


DWG. OF






1. REFER TO SHEET A-501 FOR DOOR INFORMATION AND DETAILS.

KEY PLAN

		CONSULTANTS:						ARCHITECT/ENGINEERS: 		PROJECT TITLE: FIRST FLOOR DOOR AND WINDOW KEY PLAN SCALE: As indicated		PROJECT TITLE: VA BUILDING 1A ENTRANCE EXPANSION		PROJECT NUMBER: 614-318			
						11 W. Huling Avenue Memphis, Tennessee 38103 t 901.260.9600 f 901.531.8042 w brg3s.com				APPROVED PROJECT DIRECTOR:		LOCATION: VAMC, Memphis, Tennessee		BUILDING NUMBER: 1A			
												DRAWING NUMBER: A-201.1					
												DATE: January 27, 2014		CHECKED:		DRAWN:	
Revisions:		Date:												DWG. OF		KEY PLAN	



GENERAL NOTES:

- PARTITION TYPES ARE TYPE A, FULL HEIGHT PARTITIONS (FHP) UNLESS NOTED OTHERWISE. SEE 1A50 FOR PARTITION TYPES.
- REFERENCE SYMBOLS LEGEND:
 - CG RECESSED VINYL CORNER GUARD - SEE DETAIL 1B AND 1D / A-502
 - VCR VINYL CHAIR RAIL - SEE DETAIL 5D/A502
 - PWC PLASTIC WALLCOVERING, SEE INTERIORS
 - CR CARD RELEASE
 - BR 8" BUMPER RAIL
 - PP PUSH PLATE(SEE G001 - INDEX SHEET FOR ADDITIONAL REFERENCE SYMBOLS)
- RATED PARTITIONS LEGEND:
 - 2 HR FIRE RATED SMOKE BARRIER
 - 2 HR FIRE RATED PARTITION
 - 1 HR FIRE RATED SMOKE BARRIER
 - 1 HR FIRE RATED PARTITION
- ROOM NAME LEGEND:
 - ROOM NAME 1
 - ROOM NAME 2
 - FLOOR XXXX ROOM NUMBER
 - PROGRAM AREA ACTUAL AREA
- SLOPE ALL SHOWER FLOORS 1/4" PER FOOT TO DRAIN, MINIMUM.
- SEE 1F-3F/A501 FOR TYPICAL DOOR DETAILS. SEE 7F/A501 FOR DOOR ELEVATIONS AND RATINGS.
- REFER TO ST. TLT. FB1104B FOR ACCESSORIES AND FIXTURES TYPICAL AT TOILET ROOMS.

1 FIRST FLOOR DIMENSION PLAN
SCALE: 1/8" = 1'-0"

CONSULTANTS:

ARCHITECT/ENGINEERS:

brg3sarchitects

11 W. Huling Avenue
Memphis, Tennessee 38103
t 901.260.9600
f 901.531.8042
w brg3s.com

DRAWING TITLE:
FIRST FLOOR DIMENSION PLAN

SCALE: As indicated
APPROVED PROJECT DIRECTOR:

PROJECT TITLE:
VA BUILDING 1A
ENTRANCE EXPANSION


LOCATION:
VAMC, Memphis, Tennessee
DATE: January 27, 2014
CHECKED: DRAWN:

PROJECT NUMBER:
614-318


BUILDING NUMBER:
1A

DRAWING NUMBER:
A-201D

DWG. OF



FULLY SPRINKLERED




GENERAL NOTES:

- PARTITION TYPES ARE TYPE A, FULL HEIGHT PARTITIONS (FHP) UNLESS NOTED OTHERWISE. SEE 1A500 FOR PARTITION TYPES.
- REFERENCE SYMBOLS LEGEND:
 - CG RECESSED VINYL CORNER GUARD - SEE DETAIL 1B AND 1D / A-502
 - VCR VINYL CHAIR RAIL - SEE DETAIL 5DA502
 - PWC PLASTIC WALLCOVERING, SEE INTERIORS
 - CR CARD RELEASE
 - BR 8" BUMPER RAIL
 - PP PUSH PLATE
 - (SEE G001 - INDEX SHEET FOR ADDITIONAL REFERENCE SYMBOLS)
- RATED PARTITIONS LEGEND:
 - 2 HR FIRE RATED SMOKE BARRIER
 - 2 HR FIRE RATED PARTITION
 - 1 HR FIRE RATED SMOKE BARRIER
 - 1 HR FIRE RATED PARTITION
- ROOM NAME LEGEND:
 - ROOM NAME 1
 - ROOM NAME 2
 - FLOOR
 - PROGRAM AREA
 - ROOM NUMBER
 - ACTUAL AREA
- SLOPE ALL SHOWER FLOORS 1/4" PER FOOT TO DRAIN, MINIMUM.
- SEE 1F-3FA501 FOR TYPICAL DOOR DETAILS. SEE 7FA501 FOR DOOR ELEVATIONS AND RATINGS.
- REFER TO ST. TLT. FB1104S FOR ACCESSORIES AND FIXTURES TYPICAL AT TOILET ROOMS.

FULLY SPRINKLERED

Revisions:		Date:		CONSULTANTS:		ARCHITECT/ENGINEERS:		DRAWING TITLE:		PROJECT TITLE:		PROJECT NUMBER:	
						11 W. Huling Avenue		FIRST FLOOR PLANS - DEDUCTIVE		VA BUILDING 1A		614-318	
						Memphis, Tennessee 38103		ALTERNATES		ENTRANCE EXPANSION		BUILDING NUMBER:	
						t 901.260.9600		SCALE: As indicated		LOCATION:		1A	
						f 901.531.8042		APPROVED PROJECT DIRECTOR:		VAMC, Memphis, Tennessee		DRAWING NUMBER:	
						w brg3s.com				DATE:		A-201A	
										January 27, 2014		DWG. OF	
												KEY PLAN	



- REFLECTED CEILING GENERAL NOTES:
- ALL CEILING HEIGHTS SHALL BE 9'-0" UNLESS OTHERWISE NOTED.
 - ALL SOFFIT HEIGHTS SHALL BE 7'-2" UNLESS OTHERWISE NOTED.
 - ALL ACOUSTICAL CEILING TILE SHALL BE ACT TYPE 1 UNLESS OTHERWISE NOTED.
 - COORDINATE ALL ABOVE CEILING WORK PRIOR TO START OF CONSTRUCTION AND FABRICATION OF COMPONENTS.

REFLECTED CEILING LEGEND:

- 2x4' FLUORESCENT LIGHT FIXTURE
- 1x4' FLUORESCENT LIGHT FIXTURE
- DOWN LIGHT
- UNDER COUNTER LIGHT FIXTURE
- EXIT SIGN
- HEIGHT MARKER
- SPRINKLER
- 2x2' ACOUSTIC TILE
- GYPSUM WALLBOARD CEILING OR SOFFIT
- MECHANICAL DIFFUSER
- SLOT DIFFUSER
- MECHANICAL EXHAUST

GROUND FLOOR REFLECTED CEILING PLAN
SCALE: 1/8" = 1'-0"

CONSULTANTS:

ARCHITECT/ENGINEERS:

brg3sarchitects

11 W. Huling Avenue
Memphis, Tennessee 38103
t 901.260.9600
f 901.531.8042
w brg3s.com

DRAWING TITLE:
GROUND FLOOR REFLECTED
CEILING PLAN


SCALE: As indicated
APPROVED PROJECT DIRECTOR:


PROJECT TITLE:
VA BUILDING 1A
ENTRANCE EXPANSION

LOCATION:
VAMC, Memphis, Tennessee
DATE:
January 27, 2014

PROJECT NUMBER:
614-318
BUILDING NUMBER:
1A

DRAWING NUMBER:
AC200
DWG. OF






REFLECTED CEILING GENERAL NOTES:

1. ALL CEILING HEIGHTS SHALL BE 9'-0" UNLESS OTHERWISE NOTED.
2. ALL SOFFIT HEIGHTS SHALL BE 7'-2" UNLESS OTHERWISE NOTED.
3. ALL ACOUSTICAL CEILING TILE SHALL BE ACT TYPE 1 UNLESS OTHERWISE NOTED.
4. COORDINATE ALL ABOVE CEILING WORK PRIOR TO START OF CONSTRUCTION AND FABRICATION OF COMPONENTS.






REFLECTED CEILING LEGEND:

- 2x4 FLUORESCENT LIGHT FIXTURE
- 1x4 FLUORESCENT LIGHT FIXTURE
- DOWN LIGHT
- UNDER COUNTER LIGHT FIXTURE
- EXIT SIGN
- HEIGHT MATL.
- CEILING HEIGHT SYMBOL
- SPRINKLER
- 2X2 ACOUSTIC TILE
- GYPSUM WALLBOARD CEILING OR SOFFIT
- MECHANICAL DIFFUSER
- SLOT DIFFUSER
- MECHANICAL EXHAUST

FULLY SPRINKLERED








three inches = one foot
one and one half inches = one foot
one inch = one foot
one quarter inch = one foot
three quarters inch = one foot
one half inch = one foot
one eighth inch = one foot
one quarter inch = one foot
one eighth inch = one foot







GENERAL NOTES:
1. DEFLECTION TRACK ASSEMBLY TO ALLOW FOR 3/8" DEFLECTION UNLESS NOTED OTHERWISE.
2. U.L. APPROVED HEAD OF WALL FIRESTOP ASSEMBLY EQUAL TO HW-D-002, HW-D-0042, HW-D-0158, HW-D-0160, HW-D-0060, OR ASSEMBLY APPROVED BY LOCAL BUILDING AUTHORITY. MATCH REQUIRED FIRE RATING AND TYPE OF CONSTRUCTION.

FULLY SPRINKLERED

Revisions:		Date:		CONSULTANTS:		ARCHITECT/ENGINEERS: brg3s architects 11 W. Huling Avenue Memphis, Tennessee 38103 t 901.260.9600 f 901.531.8042 w brg3s.com		DRAWING TITLE: PARTITION TYPES AND DETAILS SCALE: As indicated APPROVED PROJECT DIRECTOR:		PROJECT TITLE: VA BUILDING 1A ENTRANCE EXPANSION LOCATION: VAMC, Memphis, Tennessee DATE: January 27, 2014 CHECKED: DRAWN: DWG. OF		PROJECT NUMBER: 614-318 BUILDING NUMBER: 1A DRAWING NUMBER: A-500	
------------	--	-------	--	--------------	--	---	--	---	--	---	--	---	--



- GENERAL NOTES:
- 1) ALL DOORS TO BE AS FOLLOWS:
 - a) INTERIOR WOOD DOORS TO BE 1-3/4" UNLESS OTHERWISE NOTED.
 - b) EXTERIOR / INTERIOR HOLLOW METAL DOORS TO BE 1-3/4" THICKNESS.
 - 2) DOORS TO STAIRWAYS OR IN SHAFTS WITH 2-HOUR FIRE RATED ENCLOSURES OR IN 2-HOUR FIRE RATED PARTITIONS TO BE LABELED FOR 1-1/2 HOUR FIRE RATING.
 - 3) DOORS TO STAIRWAYS OR IN SHAFTS WITH 1-HOUR FIRE RATED ENCLOSURES TO BE RATED FOR 1-HOUR FIRE RATING.
 - 4) DOORS IN 1-HOUR FIRE RATED PARTITIONS TO BE LABELED FOR 3/4 HOUR FIRE RATING.
 - 5) DOORS IN SMOKE BARRIERS IN CORRIDORS TO BE LABELED FOR 20 MINUTE FIRE RATING. DOORS IN SMOKE BARRIERS IN ALL OTHER LOCATIONS SHALL BE LABELED FOR 34 HOUR FIRE RATING EXCEPT WHERE A DOUBLE EXPOSED DOOR WHICH DO NOT REQUIRE LABEL. FIRE DOOR ASSEMBLIES SHALL ALSO MEET THE REQUIREMENTS FOR A SMOKE AND DRAFT CONTROL DOOR ASSEMBLY. TESTED IN ACCORDANCE WITH U.F.A. INSTALLATION OF SMOKE DOORS SHALL BE IN ACCORDANCE WITH NFPA 105.
 - 6) ALL GLASS IN DOORS IN SMOKE BARRIERS TO BE CLEAR CERAMIC GLASS SECURED WITH APPROVED STEEL STOPS. TOTAL GLASS AREA FOR EACH LIGHT SHALL NOT EXCEED 1296 SQUARE INCHES UNLESS OTHERWISE NOTED.
 - 7) TOTAL CLEAR CERAMIC GLASS AREA IN 1 AND 1-1/2 HOUR LABEL DOORS SHALL NOT EXCEED 100 SQUARE INCHES PER LEAF.
 - 8) TOTAL CLEAR CERAMIC GLASS AREA IN 34 HOUR LABEL DOORS SHALL EXCEED 1296 SQUARE INCHES PER LEAF.
 - 9) ALL DOORS INCORPORATED TO BE LABELED SHALL BEAR THE TESTING AGENCY LABEL.
 - 10) IN ALL CASES WHERE DOORS HAVE A LABEL, THE DOOR FRAME SHALL HAVE THE SAME LABEL.
 - 11) WHEN TESTED FINISH FLOORING OCCURS ADJUST DOORS FOR SIZE.



DOOR SIZES											
MK	WIDTH			HEIGHT		MK	WIDTH			HEIGHT	
	IN	[mm]		IN	[mm]		IN	[mm]		IN	[mm]
A	2'-4"	[457]	6'-0"	[2032]		N	2'-0"	[610]		7'-0"	[2134]
B	2'-4"	[610]	6'-0"	[2032]		O	2'-2"	[660]		7'-0"	[2134]
C	2'-6"	[660]	8'-0"	[2032]		P	2'-4"	[711]		7'-0"	[2134]
D	3'-0"	[711]	8'-0"	[2032]		Q	2'-6"	[762]		7'-0"	[2134]
E	3'-6"	[762]	7'-2"	[2032]		R	2'-8"	[813]		7'-0"	[2134]
F	2'-8"	[813]	8'-10"	[2032]		S	3'-0"	[914]		7'-0"	[2134]
G	2'-10"	[864]	8'-10"	[2032]		T	3'-4"	[1016]		7'-0"	[2134]
H	3'-0"	[914]	8'-10"	[2032]		U	3'-6"	[1067]		7'-0"	[2134]
I	3'-4"	[965]	8'-10"	[2032]		V	3'-8"	[1118]		7'-0"	[2134]
J	3'-6"	[1016]	8'-10"	[2032]		W	3'-10"	[1168]		7'-0"	[2134]
K	3'-8"	[1118]	8'-10"	[2032]		X	4'-0"	[1219]		7'-0"	[2134]
L	3'-10"	[1168]	8'-10"	[2032]		Y	3'-0"	[914]		8'-0"	[2438]
M	4'-0"	[457]	8'-10"	[2032]		Z	UNASSIGNED				

- DOOR MODIFICATIONS**

 - A LAMINATED GLASS
 - C CLOSER WITH HOLD OPEN DEVICE
 - CA CARD ACCESS
 - D DOUBLE GLAZED TEMPERED GLASS
 - DC DOOR CHIME
 - H ELECTRIC HOLD
 - L LOCKER
 - LP LIGHT PROOF LOCKER
 - M MECH. SEAL FOR LIGHT & SOUND RESISTANT DOOR
 - P POCKET DOOR ASSEMBLY
 - T TEMPERED GLASS
 - U UNDERCUT 1" (25MM)
 - V LEAD GLASS
 - F FIRE RATED GLAZING
 - CO CASED OPENING

DOOR SYMBOL

LEGEND (SEE ELEVATIONS)

DOOR TYPE

GLASS OR LOUVER
REQUIRED BY MODIFICATION

DOOR SIZE


DOUBLE LETTERS
EQUAL SIZE OF LEAF
FOR PAIR OF DOORS

DOOR MODIFICATION

GLASS OR LOUVER
REQUIRED BY ELEVATION TYPE



1. ALL DOORS SHALL BE FLUSH - 1 3/4" [44mm] THICK UNLESS NOTED OTHERWISE.
2. TOP & SIDE RAILS SHALL BE 9" [229mm] MIN. BOTTOM RAILS SHALL BE 12" MIN. [305mm]
3. DOOR TYPES 7, 8, & 9 SHALL NOT BE USED FOR OPPOSING DOORS.
4. FOR SCHEDULING DOOR TYPES, SEE 5F1-A-502.
5. EVEN NUMBERS ARE METAL; ODD NUMBERS ARE WOOD.

DOOR SIZES




DOOR TYPE ELEVATIONS


GENERAL NOTE:
ALL 'B' LABELED
DOORS WILL HAVE A 90
MINUTE RATING.




SECTION 5 DOUBLE EGRESS DOORS



TYPICAL DOOR DETAILS



PARTITION FRAMING FOR DOORS




DOOR TYPE ELEVATIONS

GENERAL NOTE:
ALL 'B' LABELED
DOORS WILL HAVE A 90
MINUTE RATING.

FULLY SPRINKLERED

[illegible]

CONSULTANTS:



ARCHITECT/ENGINEERS:

brg3sarchitects

**11 W. Huling Avenue
Memphis, Tennessee 38103
t 901.260.9600
f 901.531.8042
w brg3s.com**

DRAWING TITLE:
DOOR DETAILS

SCALE: As indicated

APPROVED PROJECT DIRECTOR

PROJECT TITLE:
VA BUILDING 1A
ENTRANCE EXPANSION

LOCATION:	
-----------	--














PROJECT NUMBER:
614-318

BUILDING NUMBER
1A


	DRAWING NUMBER

A-501

DWG. O

[illegible]

CONSULTANTS:



ARCHITECT/ENGINEERS:
brg3sarchitects

**11 W. Huling Avenue
Memphis, Tennessee 38103
t 901.260.9600
f 901.531.8042
w brq3s.com**

DRAWING TITLE:
MISCELLANEOUS DETAILS

SCALE: As indicated

APPROVED PROJECT DIRECTOR:

PROJECT TITLE:
VA BUILDING 1A
ENTRANCE EXPANSION

LOCATION:	VAMC, Memphis, Tennessee
-----------	--------------------------

DATE:
January 27, 2014

☐ CHECKED:

DRAWN:

PROJECT NUMBER:
614-318


BUILDING NUMBER:
1A

DRAWING NUMBER:
A 500

A-502

DWG. OF

FULLY SPRINKLERED







3D PLAN DETAIL
SCALE: 1 1/2" = 1'-0"











		CONSULTANTS:				ARCHITECT/ENGINEERS:		DRAWING TITLE: MISCELLANEOUS DETAILS		PROJECT TITLE: VA BUILDING 1A ENTRANCE EXPANSION		PROJECT NUMBER: 614-318			
						brg3s architects		SCALE: As indicated APPROVED PROJECT DIRECTOR:		LOCATION: VAMC, Memphis, Tennessee		BUILDING NUMBER: 1A			
						11 W. Huling Avenue Memphis, Tennessee 38103 t 901.260.9600 f 901.531.8042 w brg3s.com				DATE: January 27, 2014		CHECKED:		DRAWN:	
Revisions:		Date:										DRAWING NUMBER: A-503		DWG. OF	

three inches = one foot
one and one half inches = one foot
one inches = one foot
three quarters inch = one foot
one half inch = one foot
one quarter inch = one foot
three eighth inch = one foot
one eighth inch = one foot
one quarter inch = one foot




- GENERAL NOTES:
1. PROVIDE END PANELS WHERE CASEWORK DOES NOT ABUT WALL.
 2. PROVIDE 1-1/2" (MIN.) FILLER PIECE ON WALL & BASE CABINETS AND 1-1/2" (MIN.) EXTENSION TO COUNTER WHERE ENDS OF CASEWORK ABUT WALL.
 3. FIELD VERIFY ALL DIMENSIONS PRIOR TO FABRICATION AND INSTALLATION.
 4. WHERE VALANCES ARE PROVIDED, EXTEND SIDE PANELS OF WALL CABINET TO ALIGN WITH BOTTOM OF LIGHT VALANCE IF CABINET DOES NOT TERMINATE AT A WALL.
 5. FILLER PIECE SCRIBED TO SOFFIT AND WALL (TYP.) SEE DETAIL 18A504.
 6. PROVIDE GROMMETS IN COUNTERTOPS ABOVE ELECTRICAL AND COMMUNICATION OUTLETS. COORDINATE EXACT LOCATIONS WITH OWNER.
 7. SEE SHEET INTERIOR FINISH INDEX SHEET FOR ADDITIONAL HPDL COLORS AND INFORMATION.




FULLY SPRINKLERED

Revisions:	CONSULTANTS:		ARCHITECT/ENGINEERS: brg3s architects 11 W. Huling Avenue Memphis, Tennessee 38103 t 901.260.9600 f 901.531.8042 w brg3s.com	DRAWING TITLE: CASEWORK DETAILS	DRAWING TITLE: VA BUILDING 1A ENTRANCE EXPANSION	DRAWING NUMBER: 1A
				SCALE: As indicated	LOCATION: VAMC, Memphis, Tennessee	DRAWING NUMBER: A-504
				APPROVED PROJECT DIRECTOR:	DATE: January 27, 2014	CHECKED:
					DRAWN:	DWG. OF


three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
one half inch = one foot
three eighths inch = one foot
one quarter inch = one foot
one eighth inch = one foot




1B PLAN DETAIL AT RECEPTION
SCALE: 3/4" = 1'-0"




2B PLAN DETAIL AT RECEPTION
SCALE: 3/4" = 1'-0"




1D SECTION DETAIL AT RECEPTION GLASS
SCALE: 1 1/2" = 1'-0"




2D SECTION - WORKSTATION AT TRANSACTION TOP
SCALE: 1 1/2" = 1'-0"




1F SECTION - WORKSTATION AT COUNTERTOP
SCALE: 1 1/2" = 1'-0"




2F SECTION - WORKSTATION AT TRANSACTION TOP
SCALE: 1 1/2" = 1'-0"



4F SECTION - CLERK STATION AT COUNTERTOP
SCALE: 1 1/2" = 1'-0"



7D SECTION - FIXED SHELVING AT STORAGE CLOSET
SCALE: 1 1/2" = 1'-0"



7F SECTION - CLERK STATION AT TRANSACTION TOP
SCALE: 1 1/2" = 1'-0"

GENERAL NOTES:

1. PROVIDE END PANELS WHERE CASEWORK DOES NOT ABUT WALL.
2. PROVIDE 1-1/2" (MIN.) FILLER PIECE ON WALL & BASE CABINETS AND 1-1/2" (MIN.) EXTENSION TO COUNTER WHERE ENDS OF CASEWORK ABUT WALL.
3. FIELD VERIFY ALL DIMENSIONS PRIOR TO FABRICATION AND INSTALLATION.
4. WHERE VALANCES ARE PROVIDED, EXTEND SIDE PANELS OF WALL CABINET TO ALIGN WITH BOTTOM OF LIGHT VALANCE IF CABINET DOES NOT TERMINATE AT A WALL.
5. FILLER PIECE SCRIBED TO SOFFIT AND WALL (TYP.) SEE DETAIL 1B/504.
6. PROVIDE GROMMETS IN COUNTERTOPS ABOVE ELECTRICAL AND COMMUNICATION OUTLETS. COORDINATE EXACT LOCATIONS WITH OWNER.
7. SEE SHEET INTERIOR FINISH INDEX SHEET FOR ADDITIONAL HPDL COLORS AND INFORMATION.

FULLY SPRINKLERED

CONSULTANTS:

ARCHITECT/ENGINEERS:

brg3sarchitects

11 W. Huling Avenue
Memphis, Tennessee 38103
t 901.260.9600
f 901.531.8042
w brg3s.com

DRAWING TITLE:
CASEWORK DETAILS

SCALE: As indicated

APPROVED PROJECT DIRECTOR:

PROJECT TITLE:
VA BUILDING 1A
ENTRANCE EXPANSION

LOCATION:
VAMC, Memphis, Tennessee

DATE:
January 27, 2014

CHECKED:

DRAWN:


PROJECT NUMBER:
614-318

BUILDING NUMBER:
1A

DRAWING NUMBER:

A-505

DWG. OF




- GENERAL NOTES:
1. SPRAY-APPLIED FIRE RESISTIVE MATERIALS HAVE NOT BEEN INDICATED ON ALL WALL SECTIONS AND DETAILS.
REFER TO SPECIFICATIONS AND FIRE RESISTIVE RATING SCHEDULE ON LIFE SAFETY PLANS FOR SPRAY-APPLIED FIREPROOFING REQUIREMENTS.
 2. NOT ALL REQUIRED FRAMING IS INDICATED FOR SUPPORT OF COMPOSITE METAL WALL SYSTEM. PROVIDE ADDITIONAL COLD FORMED METAL FRAMING AS NEEDED TO SUPPLEMENT EXTERIOR WALL AND SOFFIT FRAMING FOR SUPPORT AND ATTACHMENT OF COMPOSITE METAL PANELS.
 3. APPLY 3/16\"/>


1F WALL SECTION THRU CANOPY
SCALE: 3/8" = 1'-0"

FULLY SPRINKLERED

			ARCHITECT/ENGINEERS: brg3s architects 11 W. Huling Avenue Memphis, Tennessee 38103 t 901.260.9600 f 901.531.8042 w brg3s.com	DRAWING TITLE: WALL SECTIONS SCALE: As indicated APPROVED PROJECT DIRECTOR:	PROJECT TITLE: VA BUILDING 1A ENTRANCE EXPANSION LOCATION: VAMC, Memphis, Tennessee DATE: January 27, 2014	PROJECT NUMBER: 614-318 BUILDING NUMBER: 1A DRAWING NUMBER: A-600 DWG. OF
CONSULTANTS:						
Revisions:	Date:					




7F SECTION THRU VOLUNTEER'S LOUNGE
SCALE: 3/8" = 1'-0"



7F SECTION THRU VOLUNTEER'S LOUNGE
SCALE: 3/8" = 1'-0"

- ## FULLY SPRINKLERED

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--



FULLY SPRINKLERED

F

2D CANOPY DETAIL
SCALE: 1 1/2" = 1'-0"

5B CANOPY ROOF PLAN - BASE BID
SCALE: 1/8" = 1'-0"

- GENERAL NOTES:
1. SPRAY-APPLIED FIRE RESISTIVE MATERIALS HAVE NOT BEEN INDICATED ON ALL WALL SECTIONS AND DETAILS.

REFER TO SPECIFICATIONS AND FIRE RESISTIVE RATING SCHEDULE ON LIFE SAFETY PLANS FOR SPRAY-APPLIED FIRE RESISTING REQUIREMENTS.
 2. NOT ALL REQUIRED FRAMING IS INDICATED FOR SUPPORT OF COMPOSITE METAL WALL SYSTEM. PROVIDE ADDITIONAL COLD FORMED METAL FRAMING AS NEEDED TO SUPPORT EXTERIOR WALL AND SOFFIT FRAMING FOR SUPPORT AND ATTACHMENT OF COMPOSITE METAL PANELS.
 3. APPLY 3-1/2" SPRAY-ON POLYURETHANE INSULATION COVERED WITH 1" SPRAY-APPLIED POLYURETHANE TO UNDERSIDE OF COMPOSITE SLAB BELOW ROOF AREA F100E. STEEL BEAMS BELOW ROOF AREA F100E TO RECEIVE A MINIMUM OF 2" THICK SPRAY-APPLIED FIREPROOFING.


1F CANOPY DETAIL
SCALE: 1 1/2" = 1'-0"

3F CANOPY DETAIL AT PRECAST CONCRETE
SCALE: 1 1/2" = 1'-0"


6F CANOPY DETAIL
SCALE: 1 1/2" = 1'-0"

FULLY SPRINKLERED


[illegible]




three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
one half inch = one foot
one quarter inch = one foot
three eighths inch = one foot
one eighth inch = one foot
one sixteenth inch = one foot




13 SECTION DETAIL
3/4" = 1'-0"




12 PLAN DETAIL
3/4" = 1'-0"




11 PLAN DETAIL
3/4" = 1'-0"




10 SECTION DETAIL
3/4" = 1'-0"




9 PLAN DETAIL AT COLUMN
1" = 1'-0"




5 WALL SECTION
1" = 1'-0"




8 FOUNDATION DETAIL
1/2" = 1'-0"




2 ROOF PLAN
NTS.




4 REFLECTED CEILING PLAN
NTS.




1 FRAMING PLAN
NTS.



3 FLOOR PLAN
NTS.



7 FOUNDATION DETAIL
1/2" = 1'-0"



6 ELEVATION
1/8" = 1'-0"


- GENERAL NOTES:
1. SPRAY-APPLIED FIRE RESISTIVE MATERIALS HAVE NOT BEEN INDICATED ON ALL WALL SECTIONS AND DETAILS. REFER TO SPECIFICATIONS AND FIRE RESISTIVE RATING SCHEDULE ON LIFE SAFETY PLANS FOR SPRAY-APPLIED FIREPROOFING REQUIREMENTS.
 2. NOT ALL REQUIRED FRAMING IS INDICATED FOR SUPPORT OF COMPOSITE METAL WALL SYSTEM. PROVIDE ADDITIONAL COLD FORMED METAL FRAMING AS NEEDED TO SUPPORT EXTERIOR WALL AND SOFFIT FRAMING FOR SUPPORT AND ATTACHMENT OF COMPOSITE METAL PANELS.
 3. APPLY 3-1/2" SPRAY-ON POLYURETHANE INSULATION COVERED WITH 1" SPRAY-APPLIED FIREPROOFING TO UNDERSIDE OF COMPOSITE SLAB BELOW ROOF AREA FLOOR. STEEL BEAMS BELOW ROOF AREA FLOOR TO RECEIVE A MINIMUM OF 2" THICK SPRAY-APPLIED FIREPROOFING.

FULLY SPRINKLERED


		<div>CONSULTANTS:</div>	<div>ARCHITECT/ENGINEERS:</div> <div><div>brg3sarchitects</div><div>11 W. Huling Avenue Memphis, Tennessee 38103 t 901.260.9600 f 901.531.8042 w brg3s.com</div></div>	<div>DRAWING TITLE:</div> <div>CANOPY DETAILS - DEDUCTIVE ALTERNATE NO. 4</div> <div>SCALE: 1/2" = 1'-0"</div>	<div>PROJECT TITLE:</div> <div>VA BUILDING 1A ENTRANCE EXPANSION</div>	<div>PROJECT NUMBER:</div> <div>614-318</div>		
				<div>BUILDING NUMBER:</div> <div>1A</div>				
				<div>DRAWING NUMBER:</div> <div>A-606</div>				
				<div>DWG. OF</div>				
<div>Revisions:</div>	<div>Date:</div>			<div>APPROVED PROJECT DIRECTOR:</div>	<div>LOCATION:</div> <div>VAMC, Memphis, Tennessee</div>	<div>DATE:</div> <div>January 27, 2014</div>	<div>CHECKED:</div>	<div>DRAWN:</div>




A
three inches = one foot
1
6
0
B
one and one half inches = one foot
6
0
2
C
one inches = one foot
6
0
2
D
three quarters inch = one foot
6
0
4
E
one half inch = one foot
6
0
4
F
one eighth inch = one foot
8
4
1
0
4
6
1
0
Revisions: Date:




3D EXTERIOR DETAIL
SCALE: 1 1/2" = 1'-0"




5F PRECAST CONCRETE DETAIL
SCALE: 1 1/2" = 1'-0"



7B SOFFIT DETAIL
SCALE: 1 1/2" = 1'-0"



7D EDGE OF SLAB DETAIL
SCALE: 1 1/2" = 1'-0"




7F COMPOSITE METAL DETAIL
SCALE: 1 1/2" = 1'-0"

- GENERAL NOTES:
1. SPRAY-APPLIED FIRE RESISTIVE MATERIALS HAVE NOT BEEN INDICATED ON ALL WALL SECTIONS AND DETAILS. REFER TO SPECIFICATIONS AND FIRE RESISTIVE RATING SCHEDULE ON LIFE SAFETY PLANS FOR SPRAY-APPLIED FIREPROOFING REQUIREMENTS.
 2. NOT ALL REQUIRED FRAMING IS INDICATED FOR SUPPORT OF COMPOSITE METAL WALL SYSTEM. PROVIDE ADDITIONAL COLD FORMED METAL FRAMING AS NEEDED TO SUPPLEMENT EXTERIOR WALL AND SOFFIT FRAMING FOR SUPPORT AND ATTACHMENT OF COMPOSITE METAL PANELS.
 3. APPLY 3-1/2" SPRAY-ON POLYURETHANE INSULATION COVERED WITH 1" SPRAY-APPLIED FIREPROOFING TO UNDERSIDE OF COMPOSITE SLAB BELOW ROOF AREA F100E. STEEL BEAMS BELOW ROOF AREA F100E TO RECEIVE A MINIMUM OF 2" THICK SPRAY-APPLIED FIREPROOFING.

FULLY SPRINKLERED

																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											</
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----



		CONSULTANTS:				ARCHITECT/ENGINEERS: 		DRAWING TITLE: EXTERIOR DETAILS		PROJECT TITLE: VA BUILDING 1A ENTRANCE EXPANSION		PROJECT NUMBER: 614-318			
						11 W. Huling Avenue Memphis, Tennessee 38103 t 901.260.9600 f 901.531.8042 w brg3s.com		SCALE: As indicated				BUILDING NUMBER: 1A			
								APPROVED PROJECT DIRECTOR:		LOCATION: VAMC, Memphis, Tennessee		DRAWING NUMBER: A-622			
										DATE: January 27, 2014		CHECKED:		DRAWN:	
Revisions:		Date:										DWG. OF			



1B LIGHT FIXTURE DETAIL AT STAIR
SCALE: 3" = 1'-0"

3B STAIR INTERMEDIATE LANDING
SCALE: 3" = 1'-0"

5B DETAIL AT STAIR WALL HANDRAIL
SCALE: 1 1/2" = 1'-0"

7B STAIR WALL HANDRAIL
SCALE: 3" = 1'-0"

1D STAIR GUARDRAIL / HANDRAIL SECTION
SCALE: 1 1/2" = 1'-0"

3D GUARDRAIL / HANDRAIL AT TOP OF STAIR
SCALE: 3/4" = 1'-0"

5D GUARDRAIL / HANDRAIL AT BOTTOM OF STAIR
SCALE: 3/4" = 1'-0"


7D PRECAST TERRAZZO STAIR TREAD/ RISER
SCALE: 3" = 1'-0"

1F SECTION AT FIRST FLOOR GUARDRAIL
SCALE: 1 1/2" = 1'-0"

3F PLAN AT GUARDRAIL-HANDRAIL TERMINATIONS
SCALE: 1 1/2" = 1'-0"

[illegible]

CONSULTANTS:



ARCHITECT/ENGINEERS:

brg3sarchitects

11 W. Huling Avenue
Memphis, Tennessee 38103
t 901.260.9600
f 901.531.8042
w brg3s.com

DRAWING TITLE:
STAIR AND ELEVATOR DETAILS

SCALE: As indicated

APPROVED PROJECT DIRECTOR:

PROJECT TITLE:
VA BUILDING 1A
ENTRANCE EXPANSION

LOCATION: YANGON, MYANMAR

DATE:
January 27, 2014

s, I ennes

e

PROJECT NUMBER:
614-318


BUILDING NUMBER
1A

DRAWING NUMBER


A-641

DWG.	O
------	---

FULLY SPRINKLERED





1 LOBBY
SCALE: 3/8" = 1'-0"




2 LOBBY
SCALE: 3/8" = 1'-0"


- ### GENERAL NOTES:
1. PROVIDE END PANELS WHERE CASEWORK DOES NOT ABUT WALL.
 2. PROVIDE 1" (MIN) FILLER PIECE ON WALL AND BASE CABINETS AND 1" (MIN) EXTENSION TO COUNTER WHERE ENDS OF CASEWORK ABUT WALL.
 3. FIELD VERIFY ALL DIMENSIONS PRIOR TO FABRICATION AND INSTALLATION.
 4. PROVIDE LIGHT VALANCE WHERE TASK LIGHTING IS INDICATED UNDER WALL CABINETS.
 5. WHERE VALANCES ARE PROVIDED, EXTEND SIDE PANELS OF WALL CABINET TO MATCH LIGHT VALANCE DIMENSION IF CABINET DOES NOT TERMINATE AT A WALL.
 6. FILLER PIECES SCRIBED TO SOFFIT AND WALL, TYPICAL. SEE DETAIL 1B1-A-505.
 7. ELECTRICAL POWER AND DATA OUTLETS ARE SHOWN FOR INFORMATIONAL PURPOSES ONLY. REFER TO ELECTRICAL DRAWINGS FOR LOCATIONS OF ALL OUTLETS.
 8. CABINETS SHALL BE DESIGNATED AS FOLLOWS:




3 RECEPTION DESK
SCALE: 3/8" = 1'-0"




4 RECEPTION
SCALE: 3/8" = 1'-0"




5 RECEPTION
SCALE: 3/8" = 1'-0"




6 RECEPTION
SCALE: 3/8" = 1'-0"




7 D.A.V. TRANSPORT / SECURITY
SCALE: 3/8" = 1'-0"




8 D.A.V. TRANSPORT / SECURITY
SCALE: 3/8" = 1'-0"



9 MY HEALTH E VET / TELEPHONE / VENDING
SCALE: 3/8" = 1'-0"



10 TRAVEL CLERK
SCALE: 3/8" = 1'-0"




11 TRAVEL CLERK
SCALE: 3/8" = 1'-0"

FULLY SPRINKLERED

[illegible]




5. PROVIDE END PANELS WHERE CASEWORK DOES NOT ABUT WALL.
6. PROVIDE 1" (MIN) FIELD EXPANSION ON WALL AND BASE CABINETS AND 1" (MIN) EXPANSION TO COUNTER WHERE ENDS OF CASEWORK ABUT WALL.
7. FIELD VERIFY ALL DIMENSIONS PRIOR TO FABRICATION AND INSTALLATION.
8. PROVIDE LIGHT VALANCE WHERE TASK LIGHTING IS INDICATED UNDER WALL CABINETS.
9. WHERE VALANCES ARE PROVIDED, EXPOSE SIDE PANELS OF WALL CABINET TO MATCH LIGHT VALANCE DIMENSION IF CABINET DOES NOT TERMINATE AT A WALL.
10. FIELD PILES SCRIBED TO SOFFIT AND WALL, TYPICAL. SEE DETAIL 181-A-505.
11. ELECTRICAL POWER AND DATA OUTLETS ARE SHOWN FOR INFORMATIONAL PURPOSES ONLY. REFER TO ELECTRICAL DRAWINGS FOR LOCATIONS OF ALL OUTLETS.
12. CABINETS SHALL BE DESIGNATED AS FOLLOWS:






FULLY SPRINKLERED

[illegible]

CABINET WIDTH
 6'-0"
 X/XXXX
 DETAIL / SHEET NO.



DWG. OF



<h1 style="text-align: center;">FULLY SPRINKLERED</h1>	
PROJECT NUMBER: <h2 style="text-align: center;">614-318</h2>	
DIVISION NUMBER: <h2 style="text-align: center;">1A</h2>	
DRAWING NUMBER: <h2 style="text-align: center;">A-704</h2>	
g. OF	